

SIJIL BARANGAN TERSENARAI

Product Listing Certificate



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

**LE NAM MEGASHEET (M) SDN. BHD.
NO. 768 LORONG PERUSAHAAN BUKIT MINYAK 9
KAWASAN PERINDUSTRIAN BUKIT MINYAK MK13
14100 SEBERANG PRAI TENGAH
PULAU PINANG, MALAYSIA**

Sijil untuk menggunakan Tanda Barangan Tersenarai
a certificate to use the Listed Product Mark on

INSULATION PANEL (POLYURETHANE CORE)

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

**BS 476 : PART 6 : 1989 + A1 : 2009
BS 476 : PART 7 : 1997**



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

LE NAM MEGASHEET (M) SDN. BHD.



Trade Mark : LEDEX
Model : LEDEX URO-SPAN PU METAL STEP ROOFING
Rating : Fire propagation index, I: 4.3;
Surface spread of flame: Class One;
Core density: 40kg/m³ - 45kg/m³
Type : CORRUGATED PANEL
Size : Panel Thickness: 30mm
Skin Thickness (BMT): Outer layer (0.35mm, 0.40mm, 0.42mm & 0.48mm), Inner layer (0.25mm)
Test Report No.: 2022FE0778 & 2022FE0779

Trade Mark : LEDEX
Model : LEDEX FLEX PU METAL ROOFING
Rating : Fire propagation index, I: 5.1, 5.8;
Surface spread of flame: Class One;
Core density: 35kg/m³ - 40kg/m³
Type : CORRUGATED PANEL
Size : Panel Thickness: 20mm - 40mm
Skin Thickness (BMT): Outer layer (0.25mm, 0.30mm, 0.35mm, 0.40mm, 0.42mm & 0.48mm), Inner layer (0.25mm)
Test Report No.: 2022FE0780 & 2022FE0781, 2022FE0782 & 2022FE0783

TEST REPORT NO. : 2022FE0778, 2022FE0779, 2022FE0780, 2022FE0781,
2022FE0782, 2022FE0783

Factory Name and Location :
LE NAM MEGASHEET (M) SDN. BHD.
NO. 768, LORONG PERINDUSTRIAN BUKIT MINYAK 9
KAWASAN PERINDUSTRIAN BUKIT MINYAK
MK13, SIMPANG AMPAT
14100 SEBERANG PERAI TENGAH
PULAU PINANG, MALAYSIA

End of page