

SIJIL BARANGAN TERSENARAI

Product Listing Certificate



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**LE NAM MEGASHEET (M) SDN. BHD.
736, LORONG PERINDUSTRIAN BUKIT MINYAK 11
TAMAN PERINDUSTRIAN BUKIT MINYAK
14100 BUKIT MINYAK
PULAU PINANG, MALAYSIA**

**Sijil untuk menggunakan Tanda Barangan Tersenarai
a certificate to use the Listed Product Mark on**

INSULATION PANEL (POLYURETHANE CORE)

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

**BS 476 : PART 6 : 1989 + A1 : 2009
BS 476 : PART 7 : 1997**



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

LE NAM MEGASHEET (M) SDN. BHD.



Trade Mark : LEDEX
Model : LEDEX PREMIUM WALL PANEL, LEDEX PREMIUM WALL PANEL PLUS
Rating : Fire propagation index, I: 5.6, 6.8;
Surface spread of flame: Class One;
Nominal core density: 40kg/m³ - 45kg/m³
Type : Flat Panel
Size : Nominal Panel Thickness: 40mm, 50mm;
Skin Thickness (BMT): 0.3mm
Test Report No.: 2019FE0790 & 2019FE0791, 2019FE0792 & 2019FE0793

Trade Mark : LEDEX
Model : LEDEX Premium Hi-Rib 40 PU Metal Roofing
Rating : Fire propagation index, I: 7.8, 6.8, 7.0;
Surface spread of flame: Class One;
Nominal core density: 25mm (38kg/m³ - 42kg/m³), 50mm & 60mm (40kg/m³ - 45kg/m³)
Type : Corrugated Panel
Size : Nominal Panel Thickness: 25mm, 50mm & 60mm
Skin Thickness (BMT): Outer layer (0.25mm, 0.30mm, 0.35mm, 0.40mm, 0.42mm & 0.48mm), Inner layer (0.25mm)
Test Report No.: 2023FE0236 & 2023FE0237, 2023FE0234 & 2023FE0235, 2023FE0232 & 2023FE0233

TEST REPORT NO. : 2019FE0790, 2019FE0791, 2019FE0792, 2019FE0793,
2023FE0236, 2023FE0237, 2023FE0234, 2023FE0235,
2023FE0232, 2023FE0233

End of page